



PRODUC	T DATA SHEET			H10253	
	Werlatone ® High Power 180° RF Hybrid Combiners/Dividers balance traditional technologies with disruptive microwave techniques. The outcome is a microwave component which provides an order of magnitude improvement over current capabilities. Our newest line of high power, patented 180° RF Hybrid Combiners/Dividers provides an incredible 5:1 bandwidth, while exhibiting exceptionally low loss and superi port-to-port isolation.				
	Features:				
	High Power	Wide Bandwidths	Small Size	Excellent Amplitude Balance	
	Electrical Speci	Electrical Specifications:			
	Isolation: Mechanical Spe Type: Material: Surface Finish: Operating Tempera Storage Tempera Size:	Power: 350 W CW Insertion Loss: 0.55 dB Max .VSWR: $1.40:1 \text{ Max}$.Phase Balance: $180^{\circ} \pm 7^{\circ} \text{ Max}$.Amplitude Balance: $\pm 0.3 \text{ dB Max}$.Isolation: 20 dB Min .Mechanical Specifications:Type:ConnectorizedMaterial:Aluminum 6061-T6Surface Finish:Chem. Film Per MIL-DTL-5541F Type I Class $3 (RoHS Compliant)$ Operating Temperature: -55° C to $+75^{\circ}$ CStorage Temperature: -60° C to $+85^{\circ}$ C			
	Model Diff. Port (J1) Inputs/Outputs (J2, Sum Ports (J4)				
	H10253-10	N Female	J3) N Female	N Female	
	Werlatone's standard line of High Power 180° RF Hybrid Combiners/Dividers covers multiple octaves within microwave device. Low frequency 180° Hybrid Combiner/Dividers employ proprietary ferrite transmission lin techniques, similar to our 0° Combiners/Dividers. Insertion loss in both sum and difference ports is minimal, allowing the hybrid to handle high power over its frequency range. Custom requirements are welcome.				

Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc.


Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com



PRODUCT DATA SHEET




H10253



Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc.

Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com

H10253 Rev.-



Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc. Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com

H10253 Rev.-